

EAST Search History

10/023, 990

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("(voter near2 (record or information or data or registration) with database) and @ad < "20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59
L2	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L3	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L4	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L5	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L6	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L7	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L8	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L9	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

EAST Search History

L10	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L11	263	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:14
L12	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L13	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L14	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L15	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L16	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L17	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L18	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L19	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

EAST Search History

L20	23	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L21	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L22	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L23	263	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L24	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L25	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L26	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L27	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L28	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L29	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

EAST Search History

L30	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L31	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L32	23	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L33	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L34	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L35	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L36	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L37	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L38	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L39	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

EAST Search History

L40	0	("(voter near2 (record or information or data or registration) with database) and @ad < "20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59
L41	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L42	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L43	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L44	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L45	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L46	0	("(voter near2 (record or information or data or registration) with database) and @ad < "20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59
L47	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L48	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

EAST Search History

L49	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L50	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L51	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L52	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L53	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L54	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L55	263	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L56	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L57	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

EAST Search History

L58	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L59	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L60	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L61	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L62	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L63	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L64	23	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L65	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L66	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L67	263	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

EAST Search History

L68	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L69	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L70	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L71	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L72	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L73	23	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L74	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L75	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L76	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L77	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

EAST Search History

L78	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L79	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L80	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L81	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L82	0	("(voter near2 (record or information or data or registration) with database) and @ad < 20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59
L83	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L84	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L85	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L86	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

EAST Search History

L87	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L88	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L89	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L90	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L91	6	markup with language with encoded with constructs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59
L92	4	(voted adj ballot) same (voter with identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59
L93	59	voted adj ballot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59
L94	0	(voted adj ballot) with (voter near2 identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59

EAST Search History

L95	2	707/104.1.ccls. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:16
L96	0	707/3.ccls. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:16
L97	4	707/10.ccls. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:18
L98	0	705/12.ccls. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:18
L99	0	235/51.ccls. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:18
L100	0	235/38.ccls. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:18
S1	0	("(voter near2 (record or information or data or registration) with database) and @ad < 20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 21:50
S2	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:24
S3	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 14:28

EAST Search History

S4	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 14:29
S5	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:40
S6	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:41
S7	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:42
S8	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:43
S9	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:33
S10	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:58
S11	254	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:59
S12	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 18:00

EAST Search History

S13	58	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 18:00
S14	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:25
S15	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 18:00
S16	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:34
S17	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:35
S19	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:29
S20	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:29
S21	21	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:31
S22	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:33
S23	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:56

EAST Search History

S24	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:57
S25	0	("(voter near2 (record or information or data or registration) with database) and @ad < "20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 20:04
S26	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S27	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S28	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S29	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S30	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S31	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S32	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04

EAST Search History

S33	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S34	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S35	255	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S36	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S37	59	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S38	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S39	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S40	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S41	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S42	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04

EAST Search History

S43	0	(scan\$4 with image with retriev\$4. with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S44	21	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S45	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S46	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S47	0	("(voter near2(record or information or data or registration) with database) and @ad < 20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 16:28
S48	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S49	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S50	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S51	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

EAST Search History

S52	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S53	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S54	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S55	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S56	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S57	260	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S58	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S59	62	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S60	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

EAST Search History

S61	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S62	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S63	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S64	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S65	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S66	21	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S67	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S68	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S69	260	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S70	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

EAST Search History

S71	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S72	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S73	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S74	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S75	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S76	62	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S77	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S78	21	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S79	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S80	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

EAST Search History

S81	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S82	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S83	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S84	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S85	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S86	0	("(voter near2 (record or information or data or registration) with database) and @ad < "20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 16:28
S87	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S88	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S89	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

EAST Search History

S90	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S91	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S92	6	markup with language with encoded with constructs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/23 08:36
S93	59	voted adj ballot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 21:50
S94	0	(voted adj ballot) with (voter near2 identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 21:51
S95	4	(voted adj ballot) same (voter with identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 21:51